

CONTENTS

An NMR, X-ray crystal structure, and molecular mechanics study of di-(3-deoxy-D-glycero-pentulose) 1,2':2,1' dianhydride A.D. French (New Orleans, LA, USA), G.A. Jeffrey (Pittsburgh, PA, USA), P. Pfeffer, R.L. Dudley (Philadelphia, PA, USA), Y. Yeon (Chungbuk, Korea) and E. Nitsch (Linz Donau, Austria)	1
Chemical and spectroscopic studies of <i>Cercidium praecox</i> gum exudate G.L. De Pinto, M. Martínez (Maracaibo, Venezuela) and C. Rivas (Caracas, Venezuela) . . .	17
Aromatic molecules included into and contacting the outer surface of cyclomaltohexaose (α -cyclodextrin): crystal structure of α -cyclodextrin-(benzyl alcohol) ₂ -hexahydrate T. Steiner and K. Geßler (Berlin, Germany)	27
Synthesis and biological activities of (4,6-di-O-phosphonato- β -D-mannopyranosyl)methylphosphonate as an analogue of 1L- <i>myo</i> -inositol 1,4,5-trisphosphate S.-K. Chung and S.-H. Moon (Pohang, Korea)	39
Synthesis of sulfated alkyl malto- and laminara-oligosaccharides with potent inhibitory effects on AIDS virus infection K. Katsuraya, N. Ikushima, N. Takahashi, T. Shoji, H. Nakashima, N. Yamamoto, T. Yoshida and T. Uryu (Tokyo, Japan)	51
Synthesis of octyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside, its 6'-phosphate and the corresponding monomethyl phosphodiester: intermediate structures in the biosynthesis of N-linked oligosaccharides in <i>Dictyostelium discoideum</i> C. Hällgren and O. Hindsgaul (Alberta, Canada)	63
New glycolipids (chitooligosaccharide derivatives) possessing immunostimulating and antitumor activities V.I. Gorbach, I.N. Krasikova, P.A. Luk'yanov, Y.N. Loenko, T.F. Solov'eva, Y.S. Ovodov (Vladivostok, Russian Federation), V.V. Deev and A.A. Pimenov (Moscow, Russian Federation)	73
Numerical model for alginate block specificity of mannuronate lyase from <i>Halotia</i> K. Østgaard, B.T. Stokke and B. Larsen (Trondheim, Norway)	83
Simultaneous determinations of the molecular weight distributions of amyloses and the fine structures of amylopectins of native starches M.H. Ong, K. Jumel, P.F. Tokarczuk, J.M.V. Blanshard and S.E. Harding (Loughborough, United Kingdom)	99
Studies of the degradation of pullulan by the decycling maltodextrinase of <i>Flavobacterium</i> sp. H. Bender (Freiburg, FRG)	119

Notes

- A simple, rapid, and semiquantitative assay for the determination of *endo*-(1 → 5)- α -L-arabinanase (EC 3.2.1.99) activity in column chromatography eluate fractions
M.P.H. Dunkel and R. Amadò (Zürich, Switzerland) 131
- Synthesis of acylated tri- and tetra-saccharides with one thioureylene group
J. Fuentes Mota, T. Cuevas and M.A. Pradera (Seville, Spain) 137
- Preparation of 2,5-anhydro-3,4,6-tri-*O*-benzoyl-D-allononitrile from D-glucose
M. Popsavin, V. Popsavin, N. Vukojević, J. Csanádi and D. Miljković (Novi Sad, Yugoslavia) 145
- A single-step synthesis of methyl 3-*O*-methyl- α -D-manno-, - α -D-galacto-, - α -L-rhamno-, and - α -L-fuco-pyranoside
W. Liao, Y. Liu and D. Lu (Beijing, China) 151
- A facile isolation of 2,5-anhydro-L-iditol
R.J. Rafka and B.J. Morton (Groton, CT, USA) 155
- Structural analysis and physico-chemical properties of charge-fractionated dermatan sulfate samples
N. Volpi (Modena, Italy) 159
- Regular papers*
- Crystal structure of a complex of α -cyclodextrin with 2-fluoro-4-nitrophenol · 3H₂O
M. Shibakami and A. Sekiya (Ibaraki, Japan) 169
- ¹³C NMR study on peracetylated derivatives of cyclomaltoheptaose (β -cyclodextrin, β -CD) and its methylated derivative
Y. Tezuka and I. Hermawan (Niigata, Japan) 181
- The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of oligosaccharides
G. Blatter, J.-M. Beau and J.-C. Jacquinet (Orléans, France) 189
- Improved synthesis and the crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)- α -D-mannopyranoside, the methyl α -glycoside of the intracatenary repeating unit of the O-polysaccharide of *Vibrio cholerae* O:1
M. Gotoh, C.N. Barnes and P. Kováč (Maryland, MI, USA) 203
- One-pot-synthesis of α -linked deoxy sugar trisaccharides
S. Köpper and J. Thiem (Hamburg, Germany). 219
- Some derivatives of 3-deoxy-D-glycero-D-galacto-non-2-ulosonic acid (KDN)
S. David, A. Malleron and B. Cavayé (Orsay, France) 233
- Tetra-*n*-propylammonium tetra-oxoruthenate(VII): a reagent of choice for the oxidation of diversely protected glycopyranoses and glycofuranoses to lactones
R. Benhaddou, S. Czernecki, W. Farid, G. Ville, J. Xie and A. Zegar (Paris, France). 243
- Preparation of 6-deoxy-6-fluorocellulose
N. Kasuya, K. Iiyama, G. Meshitsuka and A. Ishizu (Tokyo, Japan). 251
- Structural investigation of *Ceratozamia spinosa* mucilage
G. Barone, M.M. Corsaro, C. De Castro, R. Lanzetta, L. Mangoni and M. Parrilli (Napoli, Italy) 259

Gelation properties of extruded lemon cell walls and their water-soluble pectins M.-C. Ralet, M.A.V. Axelos and J.-F. Thibault (Nantes, France)	271
Extraction and characterisation of very highly methylated pectins from lemon cell walls M.-C. Ralet and J.-F. Thibault (Nantes, France)	283
Purification and some properties of cycloinulo-oligosaccharide fructanotransferase from <i>Bacillus circulans</i> OKUMZ 31B M. Kawamura and T. Uchiyama (Osaka, Japan).	297
The structure of the O-antigenic chain of the lipopolysaccharide of <i>Rhizobium trifolii</i> 4s Y. Wang and R.I. Hollingsworth (East Lansing, MI, USA).	305
<i>Notes</i>	
Synthesis of phenyl 2-azido-2-deoxy-1-selenoglycosides from disaccharidic glycals F. Santoyo-González, F.G. Calvo-Flores, P. García-Mendoza, F. Hernández-Mateo, J. Isaac-García and R. Robles-Díaz (Granada, Spain)	319
Gram-scale synthesis of α,α -trehalose 6-monophosphate and α,α -trehalose 6,6'-diphosphate T.E.C.L. Rønnow, M. Meldal and K. Bock (Valby, Denmark)	323
<i>Preliminary communication</i>	
Total synthesis of ganglioside GQ1b H.-K. Ishida, H. Ishida, M. Kiso and A. Hasegawa (Gifu, Japan)	C1
<i>Author index</i>	C7
<i>Subject index</i>	C9
<i>Cumulative author index (Vols. 241–260)</i>	C13

